

Brow Set AX-47-452

Trade Name	INCI Name	Company	Percent
A Deionized Water	Water		63.55
B Glycerin	Glycerin		5.00
C Black Iron Oxide c33-134	Black Iron Oxide	Sun Chemical	17.50
D GIOVAREZ P-0580	Polyurethane -21	Phoenix Chemical	9.00
D PECOCEL H-12/PF	PVP/Polycarbamyl Polyglycol Ester	Phoenix Chemical	2.50
E Phenonip	Phenoxyethanol, Methylparaben, Ethylparaben, Butylparaben, Propylparaben, Isobutylparaben,	Clariant	1.00
F Kobo Nylon-66 Fiber	Nylon-66 and Titanium Dioxide	Kobo	0.20
G Sepinov EMT-10	Hydroxyethyl acrylate (and) Sodium Acryloyl Dimethyl Taurate Copolymer	Seppic	0.85
H Sympeptide 235	Water (and) Pentylene Glycerin (and) Myristol Hexapeptide-16	Symrise	0.10
H Sympeptide 226 EL	Water (and) Glycerin (and) Myristol Pentapeptide-17	Symrise	0.10
I Keratin IFP-HMW	Keratins	Sigma Aldrich	0.20
			100.00

Procedure: Add water to the main kettle start side sweep agitation and add Phase B. Turn on the homogenizer and add Phase C colorant and homogenize for 10 minutes. When batch is uniform, add Phase D. Continue gentle homomixing and side sweep agitation and add Phase E and Phase F. Continue to mix till batch is uniform. Then add Phase G and continue to homomix and side sweep for 10 minutes. Followed by the addition of Phase H and Phase I.

Characteristics of Brow Set: Wax-free product with brow growth peptides

Ingredients

Function

GIOVAREZ P-0580

Forms a tough and flexible coating, which provides a high gloss and is abrasion resistant.

PECOCEL H-12/PF

Provides water-resistance