

## Shimmering Red Lipgloss

ARL-24-16-1

INGREDIENT:	INCI	Supplier	% W/W
<b>PHASE A :</b>			
<b>PELEMOL® D-2000</b>	PPG-26/Dimer Dilinoleate Copolymer	<b>Phoenix Chemical, Inc.</b>	68.75
<b>PELEMOL® 6GPR</b>	Polyglyceryl-6 Polyricinoleate	<b>Phoenix Chemical, Inc.</b>	14.00
<b>PELEMOL® D3GP</b>	Dimer Dilinoleyl Dimer Dilinoleate (and) Propanediol Dicaprylate/Caprate (and) Polyglyceryl-3 Behenate	<b>Phoenix Chemical, Inc.</b>	16.00
<b>PHASE B :</b>			
Fiesta Cardinal Red	Synthetic Fluorphlogopite (and) Iron Oxides (CI 77491)	Sandream/Impact	1.25
Total:			100.00

PROCEDURE: In main vessel, combine Phase A with prop mixing and begin heating to 60°-65°C until uniform. Slowly add Phase B and mix until color is fully dispersed and batch is uniform. Pour into small pots.

INGREDIENT	FUNCTION
<b>PELEMOL® D-2000</b>	Very substantive ester. Helps with transfer-resistance.
<b>PELEMOL® 6GPR</b>	100% vegetable derived ester. Good pigment dispersant and adds gloss.
<b>PELEMOL® DP3G</b>	100% vegetable derived ester, functional equivalent to animal-based cholesterol and lanosterol based esters.